

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	"5613219".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L6	2	"5648968".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L7	2	"5764187".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L8	20	yoneyama-yuzo.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L9	10	("2629819" "3693088" "4736455" "4814773" "5077759" "5097484" "5268933" "5274844" "5276452" "5339086").PN.	USPAT	OR	OFF	2005/04/07 21:41
L10	14	"5613219".URPN.	USPAT	OR	OFF	2005/04/07 21:41
L11	2	"5563610".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L12	4154	transmitter and diversity and compar\$5 and delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L13	3266	transmitter and diversity and detect\$2 and compar\$5 and delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L14	1189	375/267	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41

L15	212	(transmitter and diversity and detect\$2 and compar\$5 and delay) and 375/267	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L16	2014	transmi\$5 adj diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L17	251	transmitter adj diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L18	0	(transmitter adj diversity) with detector with comparator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L19	3	(transmitter adj diversity) with detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L20	21	(transmitter adj diversity) with detect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L21	4	(transmitter adj diversity) with compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L22	2743	transmi\$5 near diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L23	1	(transmi\$5 near diversity) with detector with comparator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L24	0	tranmitter near4 diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41

L25	912	transmitter near4 diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L26	418	transmitter near diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L27	875	455/101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L28	195105	detect\$5 and compar\$6 and delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L29	207	455/101 and (detect\$5 and compar\$6 and delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L30	9042	detect\$5 near2 RF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L31	2015	(detect\$5 near2 RF) and comparat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L32	0	455/101 and (((detect\$5 near2 RF) and comparat\$5) and delay near5 transmi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L33	559	455/91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L34	3	(((detect\$5 near2 RF) and comparat\$5) and delay near5 transmi\$6) and 455/91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41

L35	2082	375/295	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L36	1	((detect\$5 near2 RF) and comparat\$5) and delay near5 transmi\$6) and 375/295	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L37	1189	375/267	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L38	1	((detect\$5 near2 RF) and comparat\$5) and delay near5 transmi\$6) and 375/267	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L39	155	((detect\$5 near2 RF) and comparat\$5) and delay near5 transmi\$6) and transmitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L40	11	(transmitter near4 diversity) and ((detect\$5 near2 RF) and comparat\$5) and delay near5 transmi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L41	0	(455/101 and (detect\$5 and compar\$6 and delay)) and (((detect\$5 near2 RF) and comparat\$5) and delay near5 transmi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L42	170	((detect\$5 near2 RF) and comparat\$5) and delay near5 transmi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L43	8878	detect\$5 with compar\$6 with delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L44	4202	detect\$5 with comparat\$6 with delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41

L45	8	(detect\$5 near RF) with comparat\$6 with delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L46	14833	comparat\$5 near detect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L47	30079	delay near2 control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L48	129	(detect\$5 near2 RF) and (comparat\$5 near detect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L49	4	(delay near2 control) and ((detect\$5 near2 RF) and (comparat\$5 near detect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L50	66201	compar\$5 near detect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L51	129	(detect\$5 near2 RF) and (comparat\$5 near detect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L52	559	(detect\$5 near2 RF) and (compar\$5 near detect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L53	17	(delay near2 control) and ((detect\$5 near2 RF) and (compar\$5 near detect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L54	2743	transmi\$5 near diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41

L55	2594	transmission near4 diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L56	3	((detect\$5 near2 RF) and comparat\$5) and delay near5 transmi\$6) and (transmission near4 diversity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L57	251	transmitter adj diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L58	73	375/267 and (transmitter adj diversity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L59	1384	time adj1 diversity and transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L60	10751	"1" and variable adj1 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L61	12141	variable adj1 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L62	29	L59 and L61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L63	24	L62 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L64	23	L63 and detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41

L65	23	L64 and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L66	11	((control\$4 or adjust\$ or correct\$3) near3 delay) and ((antenna\$ or space\$) near2 diversity near3 transmitter\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41
L67	1	((control\$4 or adjust\$ or correct\$3) near3 delay) same ((antenna\$ or space\$) near2 diversity near3 transmitter\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 21:41



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

"control delay" "transmitter diversity"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 1 of 1 for "**control delay**" "**transmitter diversity**". (0.21 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] TSGR1-01-0536

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... For DPCCH non-compressed frame formats and no DL **transmitter diversity** imply to use slot ... Power **control delay** is 1 Time Slot after the measuring. ...

www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_20/LS/Incoming/PDFs/R1-01-0536.pdf - [Similar pages](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find: emails - files - chats - web history - media - PDF

"control delay" "transmitter divers" Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 47 of about 57 for "**control delay**" **transmitter diversity**. (0.55 seconds)

[PDF] TSGR1#5(99)569

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 ... it reduces the flexibility for DCA and still will not avoid **control delay** ...

 The **transmitter** power of UE for Random Access shall be calculated by the ...

www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_05/Docs/Pdf/r1-99569.pdf - [Similar pages](#)

[PDF] TSGR1#3(99)163 Abstract Description of the text proposal Text ...

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 ... 6.4.1.2.2 **Transmitter** power control upon Inter-sector **Diversity** Handover ...

 The **transmitter** power control of closed loop. with 2-slots **control delay** ...

www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_03/Docs/pdfs/R1-99163.PDF - [Similar pages](#)

 [[More results from www.3gpp.org](#)]

[PS] Turbo-Coded ARQ and Its Application to Wideband CDMA System ...

 File Format: Adobe PostScript - [View as Text](#)

 ... The **transmitter** then sends an identical version of the packet, ... no power control command error is assumed, yet a power **control delay** is considered. ...

www.ee.gatech.edu/users/stuber/nsf2/pubs/c1.ps - [Similar pages](#)

[PDF] Performance of **Diversity** Handover in DS-CDMA Cellular Systems ...

File Format: PDF/Adobe Acrobat

 ... site **diversity** effect, is essential for high capacity DS- CDMA cellular systems.

 ... than the target SIR, the receiver forces the **transmitter** to ...

ieeexplore.ieee.org/iel3/3577/10689/00496934.pdf?arnumber=496934 - [Similar pages](#)

[PDF] An enhanced fast power control for the WCDMA uplink ...

File Format: PDF/Adobe Acrobat

 ... fading by exploiting the multipath **diversity**. They also use the ... on the

transmitter power is evaluated. When the channel delays ...

ieeexplore.ieee.org/iel5/9179/29122/01312986.pdf?arnumber=1312986 - [Similar pages](#)

 [[More results from ieeexplore.ieee.org](#)]

[PS] INTERACTIVE CELLULAR AND CORDLESS VIDEO COMMUNICATIONS L. Hanzo, P ...

 File Format: Adobe PostScript - [View as Text](#)

 ... reduce with distance from the **transmitter**, when using an omni-directional aerial.

 ... and has been tested with a power **control delay** of one TDMA frame. ...

www-mobile.ecs.soton.ac.uk/hanzo/papers/comms-mag.ps - [Similar pages](#)

[PS] ERROR-RATE BASED POWER-CONTROLLED MULTIMODE H.263-ASSISTED VIDEO ...

 File Format: Adobe PostScript - [View as Text](#)

 ... In order for the **transmitter** to infer, whether a transmission burst was ...

 and has been tested with a power **control delay** of one TDMA frame or 20ms. ...

www-mobile.ecs.soton.ac.uk/peter/publications/power-control-journal3-rev1-fixed-web.ps - [Similar pages](#)

 [[More results from www-mobile.ecs.soton.ac.uk](#)]

EP1414166

 ... needs to know precisely the weights that are applied at the **transmitter**. ...

 one coefficient is signaled to the network, which reduces **control delay**. ...

swpat.ffii.org/pikta/txt/ep/1414/166/ - 58k - [Cached](#) - [Similar pages](#)

[PDF] Analysis of received level characteristics with **transmitter** power ...

File Format: PDF/Adobe Acrobat

... **diversity** and antenna **diversity** when **transmitter** power ... and the **control delay** T. d . 3.2. Amount of **transmitter** power control ...

doi.wiley.com/10.1002/ecja.1145 - [Similar pages](#)

[PDF] [Analysis of downlink capacity and transmitter power using SIR ...](#)

File Format: PDF/Adobe Acrobat

... trol error can be reduced according to path **diversity**, base ... time, **transmitter** power **control delay** time, and other fac- ...

doi.wiley.com/10.1002/ecja.1167 - [Similar pages](#)

[[More results from doi.wiley.com](#)]

[PDF] [Reverse link feedback power control in pilot symbol assisted systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Adaptive **transmitter** **diversity** was studied in (Cavers 1999), ... The closed loop employs delta modulation (DM), ie, after a **control delay** ...

herkules.oulu.fi/isbn9514257626/isbn9514257626.pdf - [Similar pages](#)

[PDF] [June, 1998 Association of Radio Industries and Businesses ' Japan](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the radio interface, for example **transmitter** power control and **diversity** ...

A closed-loop **transmitter** power control with 2-slots **control delay** can be ...

www.arib.or.jp/IMT-2000/Data/Proposal.pdf - [Similar pages](#)

[PDF] [ARIB W-CDMA Proposal](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Layer 1 of the radio interface, for example **transmitter** power control and **diversity** ... so that a **transmitter** power control with one-slot **control delay** ...

www.arib.or.jp/IMT-2000/Data/SelfEval_Part2v1.1.pdf - [Similar pages](#)

[[More results from www.arib.or.jp](#)]

[PDF] [WP 3, D3 – BW Baseband Requirements](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Possible performance gains due to **diversity** gain should be studied. ...

AGC should cooperate with TX power **control**. **Delay** might ...

www.ist-broadway.org/documents/deliverables/broadway-wp3-d3.pdf - [Similar pages](#)

[PDF] [Preliminary Design of Models for the AIDA tool-set, Working ...](#)

File Format: PDF/Adobe Acrobat

... The message queues are used to store and protect data while the **transmitter** re-

... Bus **control delay**. The overhead imposed by the bus controller when ...

www.md.kth.se/RTC/aida/public-papers/models.pdf - [Similar pages](#)

[PDF] [LINEAR SPACE-TIME MODULATION IN MULTIPLE-ANTENNA CHANNELS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to the **transmitter** the frame is repeated later on. Time **diversity** or time ...

this reduces **control delay**, and consequently allows beneficial use of the ...

lib.hut.fi/Diss/2004/isbn9512273764/isbn9512273764.pdf - [Similar pages](#)

[PDF] [Jenn-Chyou Bor \(柏振球 \) Cheng-Shang Chang \(張正尚 \) Shyang ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... compensation, a **transmitter** with dispersion tolerance of up to 200 km is ...

To **control delay** we propose that the switches should be able to offer ...

www.ee.nthu.edu.tw/chinese/2004_NEWS/2004_report/project.pdf - [Similar pages](#)

[PDF] [Wireless Access Method to Ensure Each User's QoS in Unpredictable ...](#)

File Format: PDF/Adobe Acrobat

... of the typical advantages for the MC-CDMA is the effect of frequency **diversity**.

... that AMC is selected incorrectly due to **control delay** and estimation ...

www.kluweronline.com/article.asp?PIPS=5095892&PDF=1 - Similar pages

[PDF] Interactive cellular and cordless video telephony: state-of-the ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **transmitter** when using an omnidirectional aerial. However, in an interference-limited mobile ... has been tested with a power **control delay** of one TDMA ...

www.iee.org/events/sigpro05_hanzopaper.pdf - Similar pages

[PDF] Experimental performance results of IMT-2000 CDMA TDD system ...

File Format: PDF/Adobe Acrobat

... receiving technology, downlink **diversity**, and open loop ... Div performance, which is subject to the **control delay**. In our test-beds, ...

dx.doi.org/10.1109/VTC.2001.956956 - Similar pages

[PDF] Climatic Radiowave Propagation Models for the design of Satellite ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... increasing the **transmitter** power of the earth station, or on the down-link by increasing the ... components than the inverse of the **control delay** time. ...

alexandria.tue.nl/extra2/9903235.pdf - Similar pages

Whitepapers | ZDNet.de IT-Business

... Dynamic Slot Allocation to **Control Delay** in TDMA Wireless Base Station ...

Iterative **Transmitter** and Receiver Optimization for CDMA Networks ...

www.zdnet.de/itmanager/whitepapers/0,39026292,39000885q-9,00.htm?sort=D&filter=A&lang=A - 54k -

Cached - Similar pages

[PDF] DL & Network protocol stack, study and preliminary design report

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... by the movement of humans across the LoS between **transmitter** and receiver.

... The broader the control area, the longer the **control delay**, ...

www.eu-projects.com/ultrawaves/doc/W05-03-0017-R13-PUBLIC.pdf - Similar pages

[PDF] SG-7200 SMARTMODEM MANUAL

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... and **control delay** may also need adjustment, however, the defaults ... You may PANIC Kill the **transmitter** at any time by pressing the HOME key. ...

www.sgcworld.com/ftp/Books/sg7200manual.pdf - Similar pages

[PDF] Dynamic Information and Constraints in Source and Channel Coding ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... we explore whether the inherent **diversity** in such parallel channels should

... applications interference from a nearby **transmitter** or attenuation due to ...

www.csua.berkeley.edu/~emin/research/phd_thesis.pdf - Similar pages

[PDF] HAL PCI-4000 / CLOVER-II

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... CMD \$8004: This test mode keys the **transmitter** and sends the Clover waveform.

... CMD \$80E0: Set **Control Delay**. In CCIR 476 and 625, this delay is the ...

www.halcomm.com/docs/e2001r1.pdf - Similar pages

[DOC] HAL PCI-4000 / CLOVER-II

File Format: Microsoft Word 97 - [View as HTML](#)

... CMD \$8043/\$8053: When ON, the local station **transmitter** power is controlled by the remote Clover station. ... DEFAULT. \$80E0 <OPT>. f. Set **Control Delay**. 0 - 255. 50 ...

www.halcomm.com/docs/e2001.doc - Supplemental Result - Similar pages

[PDF] ePerSpace – IST Integrated Project

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Mobile Operator with an integrated DVB-T **Transmitter** scenario ...

Some applications (eg, video and audio) need a way to **control delay**, jitter, ...
www.ist-eperspace.org/deliverables/D7.1.pdf - [Similar pages](#)

Livres-blancs: les solutions mobiles des acteurs du marché.

... Dynamic Slot Allocation to **Control Delay** in TDMA Wireless Base Station,
29/07/2004 ... Iterative **Transmitter** and Receiver Optimization for CDMA Networks ...
[www.businessmobile.fr/livres-blancs/ 0,39044474,39000905q-4,00.htm?sort=&filter=&lang=](http://www.businessmobile.fr/livres-blancs/0,39044474,39000905q-4,00.htm?sort=&filter=&lang=) - 23k -
[Cached](#) - [Similar pages](#)

[PDF] IST-2000-28584 MIND D6.4 MIND Trials Final Report

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... and utilising the simplest **transmitter** (1 antenna) and simplest receiver (1
... making statistical multiplexing a poor technique to **control delay**. ...
www.dit.upm.es/~ist-mind/deliverables/MIND_D64.pdf - [Similar pages](#)

[PDF] THE VBOW AN EXPRESSIVE MUSICAL CONTROLLER HAPTIC HUMAN-COMPUTER ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... signal, **control delay** line parameters, and trigger samples played by the computer.
... and wireless **transmitter** in the body of the instrument, ...
ccrma.stanford.edu/~cnichols/pdf/vBowPhD2003.pdf - [Similar pages](#)

Décisions IT - Solutions et management de projets - ZDNet.fr

... for MC-CDMA Systems With Transmit **Diversity** in Wireless Channels ... Livre blanc,
Dynamic Slot Allocation to **Control Delay** in TDMA Wireless Base Station ...
[www.zdnet.fr/livres-blancs/ 0,39035133,39000905q-4,00.htm?sort=&filter=&lang=](http://www.zdnet.fr/livres-blancs/0,39035133,39000905q-4,00.htm?sort=&filter=&lang=) - 44k - [Cached](#) - [Similar pages](#)

CLUB SYSTEMS AND KARAOKE SYSTEMS

... The system also comes with a portable **transmitter** enable you to connect to
... Depth control Bass control Treble control Repeat **control delay** time ...
[store.karaokehookup.com/ hardware-club-systems-and-karaoke-systems.html](http://store.karaokehookup.com/hardware-club-systems-and-karaoke-systems.html) - 419k - [Cached](#) - [Similar pages](#)

Dpt. of Defense SBIR Awards 1996.1

... incorporates a novel concept for minimizing "**transmitter** feed-through. ...
screening protocols, analysis of library **diversity**, and immunoassay protocols ...
[www.nttc.edu/resources/funding/ awards/dod/dodsbir96/phase1/962p1army.asp](http://www.nttc.edu/resources/funding/awards/dod/dodsbir96/phase1/962p1army.asp) - 460k - [Cached](#) - [Similar pages](#)

@ARTICLE{Schu9603:World, AUTHOR="Henning Schulzrinne", TITLE ...

... from that of the advanced characteristics the **transmitter** and receiver must have.
... layer allows the destination application to **control delay** jitter. ...
www.cs.columbia.edu/~hgs/bib/net96.bib - 513k - [Cached](#) - [Similar pages](#)

[PDF] Capacity Simulations and Analysis for cdma2000 Packet Data ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... Mobile Station Receiver Base Station **Transmitter** Fading Channel ... transmission antennas
and the orthogonal transmit **diversity** scheme is ... Power **Control Delay** 1 PCG ...
www.cin.ufpe.br/~nomadic/vtc2000/A23260.PDF - Supplemental Result - [Similar pages](#)

[PDF] Simulcast Basics Fact & Fiction

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... Multisite / Multicast (or channel **diversity**) ... and **transmitter** deviation settings
using a monitor receiver. Service ... RS232 **control: delay** in 1 bit steps (0.647 ...
www.simulcastsolutions.com/ppt/Simulcast%20Basics.pdf - Supplemental Result - [Similar pages](#)

Forward Link Performance of Third Generation CDMA System

... radio link techniques, such as, **diversity**, coding/interleaving ... The base station changes
the **transmitter** power every ... assumed that, the power **control delay** is to ...
www.stanford.edu/~hcmoon/ee359f.html - 17k - Supplemental Result - [Cached](#) - [Similar pages](#)

Data communications for Belize - Caye Caulker Message Board

<http://www.google.com/search?num=100&hl=en&lr=&rls=GGLD%2CGGLD%3A2004-44%2CGGL...> 4/7/05

... to provide for network **diversity**, flexibility and ... an additional level of **control**:
Delay-sensitive applications ... Each Kit includes: Indoor **Transmitter** Unit (ITU ...

www.cayecaulker.org/ubb/Forum1/HTML/000247.html - 36k - Supplemental Result - [Cached](#) - [Similar pages](#)

2003 Hummer H2 For Sale

... Auto Headlamp **Control**, **Delay**, Upgraded Alpine Stereo Speaker ... Homelink Universal **Transmitter**, Class III Trailer Hitch. ... 4 Channel **Diversity** Antenna, Standard and ...

wellingtoninfo.com/hummer.html - 15k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] MSc Projects 2002-2003 School of Electrical and Electronic ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... antennas in order to provide **diversity** at the ... circuit designs, as the additional **control delay** is proportionally ... known by both the **transmitter** and receiver ...

eee.ncl.ac.uk/.../d32f060d39910b0d8025693d00366c78/\$FILE/msc_projects_2002.pdf - Supplemental Result - [Similar pages](#)

[DOC] 3GPP TS 25.214 (Rel-4)

File Format: Microsoft Word 2000 - [View as HTML](#)

... SSDT Site Selection **Diversity** TPC. ... After 160 ms after physical channel establishment (defined in [5]), the UE shall control its **transmitter** according to a ...

www.informatik.uni-stuttgart.de/ipvs/ vs/de/teaching/ss03/lectures/mc/literatur/25214-500.doc - Supplemental Result - [Similar pages](#)

[PS] Radio Resource Management in Cellular CDMA

File Format: Adobe PostScript - [View as Text](#)

... 25.2.2 MC-CDMA **transmitter** and receiver. ... of CDMA signals facilitates utilization of multipath **diversity**. ... estimation errors, power **control delay**, power control ...

etd.uwaterloo.ca/etd/dzhao2002.ps - Supplemental Result - [Similar pages](#)

Prediction-based transmission power control in a mobile ...

... RAKE combine and the antenna **diversity** combine. ... that utilizes the CDMA, the **control delay** (3 slots ... 104 representatively containing a radio **transmitter** 103, and ...

patents.nimblewisdom.com/patent/6088324-Prediction-based-transmission-power-control-in-a-mobile-communication... - 86k - Supplemental Result - [Cached](#) - [Similar pages](#)

Pilot aided, time-varying finite impulse response, adaptive ...

... to a second antenna, whereby the signal **diversity** is improved ... a plurality of CDMA transmissions from **transmitter** antenna 14. ... 3) to **control delay** circuit 58. ...

patents.nimblewisdom.com/patent/6085104-Pilot-aided-time-varying-finite-impulse-response-adaptive-channel... - 79k - Supplemental Result - [Cached](#) - [Similar pages](#)

[[More results from patents.nimblewisdom.com](#)]

[PDF] P Cherriman L Hanzo Dept of Electr and Comp Sc Univ of Southampton ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... quality indicator was the frame error ag FEF In order for the **transmitter** to infer ... gradient and the FER and has been tested with a power **control delay** of one ...

www.ecs.soton.ac.uk/publications/ rj/1997-1998/COMMS/paper09.pdf - Supplemental Result - [Similar pages](#)

[PDF] INTERACTIVE CELLULAR AND CORDLESS VIDEO COMMUNICATIONS L Hanzo

P ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)







... capacity in Rayleigh fading environments and showed that when using **diversity** in a ... expect the SINR to reduce with distance from the **transmitter** when using an ...

www.ecs.soton.ac.uk/publications/ rj/1997-1998/COMMS/paper10.pdf - Supplemental Result - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 47 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

"control delay" transmitter diversity 

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web Images Groups News Froogle Local^{New!} more »

"control delay" transmitter Search Advanced Search Preferences

Web

Results 1 - 100 of about 358 for "**control delay**" transmitter. (0.50 seconds)

[PDF] 0.0 Summary

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **transmitter** side selects the power control step size based on a sequential

... One slot power **control delay** was taken into account in the assimilations. ...

www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_05/Docs/Pdf/R1-99666.pdf - [Similar pages](#)

[PDF] TSGR1#3(99)163 Abstract Description of the text proposal Text ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The **transmitter** power control of closed loop. with 2-slots **control delay** can

be realised. Fig.3.3.6-4 Forward link **transmitter** power control timing ...

www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_03/Docs/pdfs/R1-99163.PDF - [Similar pages](#)

[[More results from www.3gpp.org](#)]

[PDF] Transmitter Equalization for 4Gb/s Signalling

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... ferential **transmitter**. The equalizer cancels the frequency-dependent ...

the loop converging by showing the two signals that **control delay** during pow- ...

cva.stanford.edu/hssp/publications/micro97.pdf - [Similar pages](#)

Futaba® GY-601 Product Review

... AVCS or a combined mode where either can be selected via your **transmitter**.

... **CONTROL DELAY** 1: This is used to control the amount of delay when the ...

www.futaba-rc.com/reviews/ - 39k - [Cached](#) - [Similar pages](#)

[PDF] FF 1 2 SC 3

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Gyro operation direction switch, DS mode switch, **Control delay** ... power, set the **transmitter** switch to the AVCS position ...

www.futaba-rc.com/manuals/futm0807-manual.pdf - [Similar pages](#)

[PDF] Henry Ho 155887326 Lecture Note 12/8/98 Flow Control

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... In on-off flow control, the receiver sends the **transmitter** an On signal when

... the **control delay** is smaller, and each element only needs to react to a ...

www.winlab.rutgers.edu/~ryates/rut/543/f98/lect/lecture12-8.pdf - [Similar pages](#)

[PS] Analysis of an Up/Down Power Control Algorithm for the CDMA ...

File Format: Adobe PostScript - [View as Text](#)

... a PCG power **control delay** is introduced in the feedback portion of Figure 1.

... [2] J. Zander, "Performance of Optimum **Transmitter** Power Control in ...

www.winlab.rutgers.edu/~narayan/PAPERS/Updown.ps - [Similar pages](#)

Transmitter Equalization for 4-GBPS Signaling

... filter into a differential **transmitter** allows a serial channel to operate over

copper ... by showing the two signals that **control delay** during power up. ...

doi.ieeecomputersociety.org/10.1109/40.566199 - [Similar pages](#)

A MAC Protocol to Reduce Sensor Network Energy Consumption Using a ...

... This threshold could be used to **control delay** or limit the storage usage on a

... $E_{\{MAC_TX\}}$ is the energy consumed by the **transmitter** to send an RTS ...

doi.ieeecomputersociety.org/10.1109/TMC.2005.31 - [Similar pages](#)

[PDF] P2MP Burst Mode Transceiver and guard band

File Format: PDF/Adobe Acrobat

... **Transmitter** deactivation delay. ϕ . Leakage power at deactivated mode ...Electric **control delay** margin is a fixed constant ...grouper.ieee.org/groups/802/3/efm/public/nov01/gummalla_1_1101.pdf - [Similar pages](#)[PS] Turbo-Coded ARQ and Its Application to Wideband CDMA System ...File Format: Adobe PostScript - [View as Text](#)... The **transmitter** then sends an identical version of the packet, ... no power control command error is assumed, yet a power **control delay** is considered. ...www.ee.gatech.edu/users/stuber/nsf2/pubs/c1.ps - [Similar pages](#)[PDF] Power Control by Kalman Filter With Error Margin for Wireless IP ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... and/or moderate **control delay**. The major reason is that. the interference prediction by ... of the radio link between the **transmitter** and receiver. In ...www.commisp.ee.ic.ac.uk/~kkleung/papers/kalman.margin.pdf - [Similar pages](#)[PDF] Integrated Link Adaptation and Power Control for Wireless IP NetworksFile Format: PDF/Adobe Acrobat - [View as HTML](#)... **transmitter** (either a mobile terminal or a base station). sends a message, all its packets ... actual message length and **control delay**. See [L00] and ...www.commisp.ee.ic.ac.uk/~kkleung/papers/VTIC2000.pdf - [Similar pages](#)[[More results from www.commisp.ee.ic.ac.uk](#)]Tiresias - Devices (Devices for deafblind persons)... Can also be used as a press button **transmitter** or be connected to an ...A further **control, delay**, allows a certain amount of sound to be ignored, ...www.tiresias.org/equipment/eb21_soundindicators.htm - 19k - [Cached](#) - [Similar pages](#)[PS] POWER-CONTROLLED H263-BASED WIRELESS VIDEOPHONE PERFORMANCE IN ...File Format: Adobe PostScript - [View as Text](#)... In order for the **transmitter** to infer, whether a transmission burst was received... and has been tested with a power **control delay** of one TDMA frame. ...www-mobile.ecs.soton.ac.uk/peter/publications/pimrc96-web.ps - [Similar pages](#)[PDF] Power-controlled H263-based Wireless Videophone Performance in ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... In order for the **transmitter** to infer, whether a. transmission burst was received correctly ... power **control delay** of one TDMA frame. Work is currently ...www-mobile.ecs.soton.ac.uk/peter/publications/pimrc96-web.pdf - [Similar pages](#)[[More results from www-mobile.ecs.soton.ac.uk](#)]Futaba GY401... addition it also features servo travel limiter and **control delay** adjustment.... Remote gain allows for **transmitter**-controlled gain; Tx also allows for ...www.alansmodels.com/radio/gy401.htm - 4k - [Cached](#) - [Similar pages](#)Futaba GY Series Gyroscopes... Gyro Direction adjustment;; Servo Limit Setting; **Control Delay** ... Has remote gain feature, **transmitter**-controlled switching to AVCS, and an LCD screen ...www.alansmodels.com/radio/gy502.htm - 5k - [Cached](#) - [Similar pages](#)[PDF] A Public Safety Communications Solution

File Format: PDF/Adobe Acrobat

... audio, as well as a **transmitter** steering controller to key the **transmitter** at the voted site. ... use GPS/OCXO for frequency **control. Delay** ...www.spectracomcorp.com/support/pdf/simulcast.pdf - [Similar pages](#)

Patent 4287567: High speed central office scanner

... The transmit baud rate of the **transmitter** is also adjustable. ... Tx.

control delay—set for 1500 ms Diagnostic RAM test pattern ...

www.freepatentsonline.com/4287567.html - 67k - [Cached](#) - [Similar pages](#)

GY-501

... center with your **transmitter** center position and the "a" will now be showing.

... CD1A(B) = **Control delay**. This can get kind of scary this is a **control** ...

www.jkheli.com/gy501.htm - 7k - [Cached](#) - [Similar pages](#)

[PDF] AVCS GYRO NSTRUCTION ANUAL

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Turn on the **transmitter** in the AVCS mode, then turn on the ... Adjust the left and right pirouette stopping state by **control delay**. and tracking. ...

www.robotcombat.com/images/fut_gy502manual.pdf - [Similar pages](#)

Ram/Courses

... of entire wireless systems, including antenna, receiver and **transmitter**. ...

flow control and congestion **control, delay** and throughput models, QoS, ...

www.iit.edu/~kottven/Course1.htm - 9k - [Cached](#) - [Similar pages](#)

[PDF] MFJ-1026 Instruction Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Failure to use the external control line can result in slow **transmitter** power rise, ... **control delay** and the delay selected by the PHASE switch. ...

www.mfjenterprises.com/man/pdf/MFJ-1026.pdf - [Similar pages](#)

[PDF] MC04-316 ID-225.qxd

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The instrument consists of a very high frequency **transmitter** ... can initiate both local and remote alarms, as well as **control. Delay** in the relays' ...

www.ionicsinstruments.com/ionics/SearchableFiles/Library/Brochures/NotProtected/Leakwise_ID_225_brochure.pdf -

[Similar pages](#)

[PDF] MC04-314 - ID-221 Cut Sheet.qxd

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... and, therefore, more energy which is supplied by the **transmitter**. ... and remote alarms, as well as **control. Delay** in the relays' response time enables ...

www.ionicsinstruments.com/ionics/SearchableFiles/

[Library/Brochures/NotProtected/Leakwise_ID_221_brochure.pdf](#) - [Similar pages](#)

[PDF] Data Synchronization Issues in GALS SoCs

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... ASYNC **CONTROL DELAY**. D. AC. Figure 2: Stoppable Clock Generation – Wave Diagram

... (the same clock frequencies at the **transmitter** and receiver), the ...

www-ee.technion.ac.il/~ran/papers%5Cgals-clocking.pdf - [Similar pages](#)

Frame Relay

... Frame fragmentation is necessary to **control delay** and delay variation when real-time traffic, such as voice, ... **Transmitter** receive sequence number. ...

www.protocols.com/pbook/frame.htm - 102k - [Cached](#) - [Similar pages](#)

[PDF] Retransmission-Based Error Control for Continuous Media Applications

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **control delay**. In interactive applications the playout delay ... **TRANSMITTER**.

RECEIVER. Display. Playout. Figure 1:. Playout buffering ...

netweb.usc.edu/cs551f00/papers/nosdav96.pdf - [Similar pages](#)

[PDF] AVCS GYRO NSTRUCTION ANUALFile Format: PDF/Adobe Acrobat - [View as HTML](#)... Also, do not move the **transmitter** rudder stick from the neutral ... 7)Adjust the left and right pirouette stopping state by **control delay**. and tracking. ...membres.lycos.fr/helicoptere/GY501.pdf - [Similar pages](#)Electricity and Electronics, Microprocessor Applications Board, 24-200... D/A and A/D conversion, open and closed-loop **control**, **delay** loops, sub-routines & event ... Outputs; Optical Fibre **Transmitter**; dc Motor; 8 LEDs; Heater ...www.fbk.com/electricity-electronics/24-200.asp - 12k - [Cached](#) - [Similar pages](#)[PS] Page 1 of 10 Abstract A TCP trunk is an aggregate traffic stream ...File Format: Adobe PostScript - [View as Text](#)... to accommodate **control delay** and possible arrival of new TCP trunks. ...The trunk **transmitter** will estimate the total number U of packets that can be ...www.csie.nctu.edu.tw/~shieyuan/publications/tcptrunking.ps - [Similar pages](#)Futaba Pages... CDIH, 40Fr **control delay** high? CDIL, 3Fr **control delay** low? ... Top view of the **transmitter**, 9zwhs-front-flash_small.jpg (15139 bytes). front view ...www.tc99.com/rc/futaba/Futaba.htm - 72k - [Cached](#) - [Similar pages](#)Triangle Amateur Robotics Mars Rover... rover has six wheel drive, 4 wheel steering and a video camera/**transmitter**..... is to add another Stamp or PIC processor to simulate a **control delay**. ...users.aol.com/kensrobots/tar_rov.html - 5k - [Cached](#) - [Similar pages](#)[PDF] Data synchronization issues in GALS SoCs - Asynchronous Circuits ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... ASYNC **CONTROL DELAY**. D. AC. Figure 2. Stoppable clock generation – wave diagram... clock frequencies at the **transmitter** and receiver), the ...www.cs.utah.edu/classes/cs7940-008-rajeev/gals.pdf - [Similar pages](#)NAB '03 Report... up to 40 inputs each with 4 band EQ, dynamics **control**, **delay** & inserts. ...the Stereoline **transmitter** for wireless camera links, the Clothing Noise ...www.atscomms.com/Cool_Stuff_News/NAB__03_Report/nab__03_report.htm - 61k - [Cached](#) - [Similar pages](#)[PS] 1 A Framework for Management and Control of Distributed ...File Format: Adobe PostScript - [View as Text](#)... The framework bandwidth usage and introduced **control delay** is presented. ...set the bandwidth to be used by the video **transmitter** in each agent. ...www.cdt.luth.se/~peppar/docs/infocom99/infocom99.ps - [Similar pages](#)[PDF] 9782 pH/ORP Multifunction Analyzer/Controller SpecificationFile Format: PDF/Adobe Acrobat - [View as HTML](#)... A resume **control delay**. assures that the measurement has. equilibrated to the process before ... Field Effect **Transmitter**) pH. electrode. ...honeywell.silverw.com/docs/70-82-03-23.pdf - [Similar pages](#)[PS] SUBSCRIBE TO BCR!CONTACT EDITOR CUSTOMER SERVICE - NEW! December ...File Format: Adobe PostScript - [View as Text](#)... With only one **transmitter** on each wire, reflections can be controlled, allowing signals ... allowing the router to **control delay** formultimedia traffic. ...www1.cs.columbia.edu/~danr/courses/6761/Fall00/week5/fsb.ps - [Similar pages](#)[PDF] Reverse link feedback power control in pilot symbol assisted systemsFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... The estimated channel state values are fed back to a **transmitter** ... The closed loop employs delta modulation (DM), ie, after a **control delay** ...

herkules.oulu.fi/isbn9514257626/isbn9514257626.pdf - [Similar pages](#)

[PDF] Microsoft PowerPoint - 07InternetFuture.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the source (**transmitter**) sends packets to a particular multicast address ...

How can we **control delay**? – Routers can only influence queuing delay ...

www.cs.ucl.ac.uk/staff/G.Knight/teaching/3C32/07InternetFuture.pdf - [Similar pages](#)

Faculty of Engineering Handbook

... automatic gain **control**, **delay** agc, diode detector, volume control. ...

to describe the operation of an amplitude modulated **transmitter** and receiver. ...

foe.mmu.edu.my/main/undergrad/subject/etm3046.html - 10k - [Cached](#) - [Similar pages](#)

Faculty of Engineering Handbook

... automatic gain **control**, **delay** agc, diode detector, volume control. ...

Signal format, **transmitter** and receiver block diagrams of Black and White TV, ...

foe.mmu.edu.my/main/undergrad/subject/etm2016.html - 11k - [Cached](#) - [Similar pages](#)

RC Model Airplanes/Cars/Boats: 401 gyro

Sam, You can set the gyro rate on the fifth channel on your **transmitter**. ...

I see on this thing is the servo limit trimmer and **control delay** trimmer. ...

experts.about.com/q/2281/3354353.htm - 15k - [Cached](#) - [Similar pages](#)

[PDF] TE 4-GS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... will see how using a **transmitter** equalizer to preemphasize the high-frequency components ... **control delay** during power up. The feedback loop directly ...

www.ece.ncsu.edu/asic/ece733/papers/Receivers/DallPoulton97.pdf - [Similar pages](#)

Linux Headquarters - Kernel v2.6.11.6-bk3 /drivers/serial ...

... #define UART_IER_THRI 0x03 /* Enable **Transmitter** holding register int. ...

0x00 /* RTS flow **control delay** */ #define UART_FCTR_RTS_4DELAY 0x01 #define ...

www.linuxhq.com/kernel/v2.6/11.6-bk3/drivers/serial/m32r_sio_reg.h - [Similar pages](#)

EP1414166

... needs to know precisely the weights that are applied at the **transmitter**. ...

one coefficient is signaled to the network, which reduces **control delay**. ...

swpat.ffii.org/pikta/txt/ep/1414/166/ - 58k - [Cached](#) - [Similar pages](#)

[PDF] 10D-1 A Framework for Management and Control of Distributed ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The framework bandwidth usage and introduced **control delay** is presented. ...

the video **transmitter** in each agent. Packets: n vs. 1 Bytes excl.: ...

www.ieee-infocom.org/1999/papers/10d_01.pdf - [Similar pages](#)

[PDF] ADAPTIVE GENERAL PARAMETER EXTENSION FOR TUNING FIR PREDICTORS ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... methods, closed loop **control**, **delay** compensation. 1. INTRODUCTION ...

prediction is **transmitter** power control of a mobile ...

lib.hut.fi/Diss/2000/isbn9512256312/article5.pdf - [Similar pages](#)

[PDF] LINEAR SPACE-TIME MODULATION IN MULTIPLE-ANTENNA CHANNELS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to the optimal beamforming vector is not signalled to the **transmitter** in Mode

... this reduces **control delay**, and consequently allows beneficial use of ...

lib.hut.fi/Diss/2004/isbn9512273764/isbn9512273764.pdf - [Similar pages](#)

INVOCOM - LdV Projects

... congestion **control**, **delay**/throughput characteristics) ... receiver and **transmitter** architectures with emphasis on increased use of DSP ...

www.invocom.et.put.poznan.pl/~invocom/materials_all_list.php - 33k - Cached - Similar pages

[PDF] TCP Trunking: Design, Implementation and Performance

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... for user packets to accommodate **control delay** and possible ... The trunk **transmitter** will estimate the total number U of packets that can be sent by a ...

www.eecs.harvard.edu/~htk/publication/1999-icnp-kung-wang.pdf - [Similar pages](#)

[PDF] A perspective to the Design of Distributed Real-time Control ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... acknowledge which indicates to the **transmitter** that there is at least one ... by use of a global clock) in order to achieve a constant **control delay**, ...

www.md.kth.se/RTC/RTCC/Material01/Papers/Torngren.pdf - [Similar pages](#)

[PDF] Modelling and Implementation Analysis of the Distributed Real ...

File Format: PDF/Adobe Acrobat

... which together with the leg-CAN resource, define a hierarchy of **transmitter** ... delays have been computed, a minimum achievable **control delay** (MCD) ...

www.md.kth.se/RTC/aida/public-papers/case_study.pdf - [Similar pages](#)

[[More results from www.md.kth.se](#)]

[PDF] Chapter 17_1.fm

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The standard **transmitter** field-strength values for the outer edges of these ... Finally, above the **control delay** point of 1mV, the tuner gain is ...

www.tvhandbook.com/support/pdf_files/Chapter17_1.pdf - [Similar pages](#)

Nick Mckeown's paper

... With only one **transmitter** on each wire, reflections can be controlled, ... results suggest that it will soon be possible to precisely **control delay** ...

www-2.cs.cmu.edu/~srini/15-744/F02/readings/McK97.html - 57k - Cached - [Similar pages](#)

[PS] Terabit Burst Switching Jonathan S. Turner jst@cs.wustl.edu wucs ...

File Format: Adobe PostScript - [View as Text](#)

... delay in the burst data paths to compensate for the **control delay**. ... Rockwell [14, 8] produced an eight channel **transmitter** array using their GaAs HBT ...

www.arl.wustl.edu/~jst/pubs/wucs9749.ps - [Similar pages](#)

[PDF] June, 1998 Association of Radio Industries and Businesses ' Japan

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... in the time slot, the **transmitter** power **control delay** can be minimized. ...

A closed-loop **transmitter** power control with 2-slots **control delay** can be ...

www.arib.or.jp/IMT-2000/Data/Proposal.pdf - [Similar pages](#)

[PDF] ARIB W-CDMA Proposal

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... so that a **transmitter** power control with one-slot **control delay** ... A closed-loop **transmitter** power control with 2-slots **control delay** can be realized. ...

www.arib.or.jp/IMT-2000/Data/SelfEval_Part2v1.1.pdf - [Similar pages](#)

[PDF] EW ROM SHLY

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... shelf), **control delay** for time delay adjustments, ... receiver, mic, **transmitter**, belt pack and all acces-. sories. It has an adjustable tray height and ...

www.eriksonaudio.com/pdfs/newsletters/EA_V8N07EL.pdf - [Similar pages](#)

Not Homeless - The future of begging is here

... lamps // Auto headlamp **control, delay** // Passlock theft deterrent system ...
 Homelink universal **transmitter** // 8-way power adjusted seats // Cloth ...
 nothomeless.com/theH2.html - 34k - Cached - Similar pages

[PDF] H.263 Based Video Codec for Real-Time Visual Communications Over ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... doing this: (1) It allows the **transmitter** to apply unequal ... **control delay**,
 loss, and corruption so that the part which requires ...
 research.microsoft.com/users/bahl/papers/pdf/icupc97_h263.pdf - Similar pages

[PDF] Congestion control in wide area TCP/IP using BONEs

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... schemes exhibit **control delay**. Their rate control technique works within the
 ... exists only to provide reverse congestion indication to a **transmitter**. ...
 matthewgreem.net/Professional/Communications/uts_thesis_report1.pdf - Similar pages

[PDF] Analysis of received level characteristics with transmitter power ...

File Format: PDF/Adobe Acrobat
 ... and the **control delay** T. d. 3.2. Amount of **transmitter** power control.
 The amount of control C at control time i is deter-. mined as follows. ...
 doi.wiley.com/10.1002/ecja.1145 - Similar pages

2005 Hummer H2 SUT (red)

... AUTO HEADLAMP **CONTROL, DELAY** • PASSLOCK THEFT DETERRENT SYS • BATTERY RUNDOWN
 PROTECTION ... HOMELINK UNIVERSAL **TRANSMITTER** • 8-WAY POWER, HEATED FRONT ...
 www.worldclasshummer.com/windowsticker.php?vin=5GRGN22U25H108140 - 18k - Cached - Similar pages

[PDF] 602 www.cambridge.org

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... **Control delay**. (sample-and-hold), 176. Control register, 19. Conversion
 time (analog-to-digital ... UART (universal asynchronous receiver/**transmitter**), ...
 assets.cambridge.org/052181/5274/index/0521815274_index.pdf - Similar pages

Video-on-Demand

... For example, the remote **control delay** of 150 ms occurs a problem. ... ShowMe TV
 consists of two primary components; receiver and **transmitter**. ...
 www.cs.tut.fi/tit/stuff/vod/VoDOverview/vod.html - 64k - Cached - Similar pages

[PDF] ACS-160 Series Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... (TSEL) groups are described in Section 3.5, T1 **Transmitter** Timing (TIME ...
 The TDLY function is used to **control delay** characteristics of ...
 www.simulcastsolutions.com/PDF/Intraplex%20ACS-163%20Issue%201,%20Oct%202000/ACS160%20Sec3.pdf -
[Similar pages](#)

Release Notes

... Added **control delay** device. Added Tone Control. ... Fixed bug which caused
 the last **transmitter** and receiver in the simple cm-1 configurations (4x8 or ...
 mediamatrix.peavey.com/webhelp/nware/Release_Notes.htm - 54k - Cached - Similar pages

[PDF] QWI vs. CAN efficiency comparison

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... that all messages are pre-scheduled and that the **transmitter** is only allowed to
 ... **control delay** (time from sampling to actuation) is much easier to ...
 www.qrtech.se/Downloads/1999.0001.pdf - Similar pages

[PDF] Enhanced Power Control Algorithm

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... ,with D being the distance between the **transmitter** and the receiver and a the path- ... to 2 msec, this time represents the power **control delay** ...

www.telecom.ece.ntua.gr/mobilevenue04/Papers/PC-HIPERLAN2-RNM.pdf - [Similar pages](#)

[DOC] [Andy Fletcher](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

... distortion, echo **control**, **delay**, noise contrast and clipping. ... designed, coded and tested the software for a Base Station **Transmitter** control card. ...

www.x31.com/~andy/cv/cv.doc - [Similar pages](#)

[PDF] [Frame Relay Fragmentation Implementation Agreement FRF.12](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Frame fragmentation is necessary to **control delay** and ... in the **transmitter**, and two peer transmitters need not use the same fragment size. ...

www.mplsforum.org/frame/Approved/FRF.12/frf12.pdf - [Similar pages](#)

[PDF] [WP 3, D3 – BW Baseband Requirements](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Walsh-. Hadamard. transformation. Fig. 8: Class B **transmitter** reference configuration. ... AGC should cooperate with TX power **control**. **Delay** might ...

www.ist-broadway.org/documents/deliverables/broadway-wp3-d3.pdf - [Similar pages](#)

[PDF] [MT8977 Data Sheet](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **transmitter**. Functional transmit and receive timing is shown in Figures 4 and 5. DSTi ... External **Control Delay**. t. XCD. 140. ns. 50 pF Load ...

assets.zarlink.com/DS/zarlink_MT8977_FEB_05.pdf - [Similar pages](#)

[PDF] [MT8979 Data Sheet](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... This division process takes place at both the **transmitter** and receiver. ... end of the link. The remainder calculated at the ... External **Control Delay** ...

assets.zarlink.com/DS/zarlink_MT8979_FEB_05.pdf - [Similar pages](#)

[[More results from assets.zarlink.com](#)]

[PDF] [Io,.,.,.OI](#)

File Format: PDF/Adobe Acrobat

... that it places the burden of error control solely on the **transmitter** ... letting Common **Control delay** the packet acknowledgment (case c ...

portal.acm.org/ft_gateway.cfm?id=806604&type=pdf - [Similar pages](#)

[Plane Crash Lawyer, Aviation Attorneys](#)

... the runway with the engines shut down due to an air traffic **control delay**:

... An emergency locator **transmitter** (ELT) signal was received in the area of ...

www.plane-crash-aviation-attorneys.com/html/incidents.html - 50k - [Cached](#) - [Similar pages](#)

[PS] [Providing Quality of Service Guarantees to Networked Applications ...](#)

File Format: Adobe PostScript - [View as Text](#)

... resources in the network and thus **control delay**, jitter and bandwidth. ...

The **transmitter** was a Pentium 200 running Nemesis with a 10 Mb/s 3c509 ...

www.sics.se/~thiemo/lic.ps - [Similar pages](#)

[serial_reg.h](#)

... 113 #define UART_IER_THRI 0x02 /* Enable **Transmitter** holding register int.

... 195 #define UART_FCTR_RTS_NODELAY 0x00 /* RTS flow **control delay** */ 196 ...

joshua.raleigh.nc.us/docs/linux-2.4.10_html/710180.html - 50k - [Cached](#) - [Similar pages](#)

[PS] [NAIST-IS-MT9851133 Master's Thesis A Rate Adjustment-based ...](#)

File Format: Adobe PostScript - [View as Text](#)

... that have shorter **control delay** and are, therefore, easier to manage. ...
which means that a network element connected to a **transmitter** of a link does ...
genesis.aist-nara.ac.jp/output/paper/thesis/98/9851133.ps - [Similar pages](#)

[PDF] [Microprocessors Trainers & Applications](#)

File Format: PDF/Adobe Acrobat

... **control, delay** loops, sub-routines & event. counting. Optional Applications
are available □. Stepper Motor 24-201 & Liquid Crystal Display. 24-202. ...
www.fbk.com.cn/full/products/pdfs/short/micros.pdf - [Similar pages](#)

[PDF] [On context-aware process networks](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... remote inspection and a **transmitter**-receiver pair for data transfer over an
... rise to a **control delay**, which as we know from control theory easily may ...
www.ubicom.tudelft.nl/docs/Ubicom-Publication_2002_17.pdf - [Similar pages](#)

[PDF] [AIRPORT TERMINAL USE INTERIM PLAN](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... headings relative to the **transmitter**. VORs are usually combined with either
... implementing management policies to **control delay**, provided that those ...
dallaslovefieldmasterplan.com/Docs/Chap-3-Airside/Chapter%203%20Airside.pdf - [Similar pages](#)

[STEREO VIDEO | How to Generate Stereoscopic 3D Video Using Cheap ...](#)

... **Control Delay**: Figure 31 Shutter Control Timing: Figure 32 Schematic, ...
58 Rear View of **Transmitter** or Receiver (they're identical from the rear) ...
stereo-video.home.att.net/- 13k - [Cached](#) - [Similar pages](#)

[Product Price List](#)

... Touch Sensor with **Control Delay**. \$8.95. UDP-17010. Portable Universal Programmer
... **Transmitter** Kit. \$23.95. WCL-10100, Wireless RF Communication Lab ...
www.sunequipco.com/pricelist/pricelist.htm - 295k - [Cached](#) - [Similar pages](#)

[PDF] [Bulletin MC](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... turns on its **transmitter**, sends the necessary data packet, and then disables
... 3.9: Lost of **Control Delay** (0.1 to 1000. Seconds). Values: 1 to 10000 ...
www.varix.com.br/boletins/11-Bulletin_259AE.pdf - [Similar pages](#)

[Sound Department at the Royal Exchange Theatre](#)

... the new Akai S6000 samplers and a TiMax level **control, delay** and matrix system.
... to hold (and hide) the small but very expensive radio **transmitter**, ...
www.royalexchange.co.uk/sound.html - 15k - [Cached](#) - [Similar pages](#)

[PDF] [Jenn-Chyou Bor \(柏振球 \) Cheng-Shang Chang \(張正尚 \) Shyang ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... compensation, a **transmitter** with dispersion tolerance of up to 200 km is ...
To **control delay** we propose that the switches should be able to offer ...
www.ee.nthu.edu.tw/chinese/2004_NEWS/2004_report/project.pdf - [Similar pages](#)

[PDF] [Interactive cellular and cordless video telephony: state-of-the ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **transmitter** when using an omnidirectional aerial. However, in an interference-limited
mobile ... has been tested with a power **control delay** of one TDMA ...
www.iee.org/events/sigpro05_hanzopaper.pdf - [Similar pages](#)

[PPT] [hsn1.ee.tku.edu.tw/WLAN/huang0107/huang01-07.ppt](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... During slow start the round trip time (RTT) between the **transmitter** and ...

control ,delay and errors as they might exists in a cdma2000 system. ...

[Similar pages](#)

[PDF] Design and Implementation of a Commodity Audio System

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... ing a mute button is a critical application for the live **control delay** ...

Interfaces with a radio **transmitter** device that broadcasts the program ...

e-collection.ethbib.ethz.ch/ show?type=diss&nr=15198&part=fulltext - [Similar pages](#)

[PDF] FLEX 6000 Programmable Logic Device Family Data Sheet

File Format: PDF/Adobe Acrobat

... receiver/**transmitter** (UART). 487. 36. 30. 25. MHz. PCI bus target with zero

wait states ... Dedicated input to LE **control delay** ...

pvr.sourceforge.net/dsf6k.pdf - [Similar pages](#)

[PS] Optoelectronic Buses for High Performance Computing \Lambda DM ...

File Format: Adobe PostScript - [View as Text](#)

... Specifically, the **control delay** for arbitration of requests is now ...

left from a single **transmitter** and propagates to the right as shown in figure 13. ...

kona.ee.pitt.edu/pittcad/ Research/ftp/steve/ieee_proc.ps.gz - [Similar pages](#)

[PDF] SG-7200 SMARTMODEM MANUAL

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... and **control delay** may also need adjustment, however, the defaults ... You may

PANIC Kill the **transmitter** at any time by pressing the. HOME key. ...

www.sgcworld.com/ftp/Books/sg7200manual.pdf - [Similar pages](#)

[PDF] ZERO-DELAY CHANNEL ESTIMATION BASED ON PILOT AND TRAFFIC CHANNELS ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... power **control delay** that in turn increases power control ... of a **transmitter**,

channel, and receiver is shown in Fig. 1. In the **transmitter** ...

mobile.snu.ac.kr/mcl_list/papers/ conference/jcc199904_smin_kblee.PDF - [Similar pages](#)

[PDF] OSCI Preliminary User Manual

File Format: PDF/Adobe Acrobat

... interface devices used on OSCI have a maximum withstand rating for receiver

and **transmitter** ... half duplex, and the RS485 auto direction **control delay**. ...

www.mpi.ch/attach/000013b4.pdf - [Similar pages](#)

diff -ruN linux-2.6.0.org/include/linux/elf.h linux-2.6.0/include ...

... Wait for **transmitter** & holding register to empty + */ +static __inline__ void

... RTS flow **control delay** */ + #define UART_FCTR_RTS_4DELAY 0x01 + #define ...

www.linux-m32r.org/public/ linux-2.6.0_m32r_20040316.patch - 94k - [Cached](#) - [Similar pages](#)

[PDF] Hierarchical optical ring interconnection HORN: scalable ...

File Format: PDF/Adobe Acrobat

... **control delay** must also be taken into account. ... receivers, and the label

Tx represents a single tunable **transmitter**. ...

ao.osa.org/ViewMedia.cfm?id=42281&seq=0 - [Similar pages](#)

Linux-Kernel Archive: [PATCH] Re: Bitrotting serial drivers

... #define UART_IER_THRI 0x03 /* Enable **Transmitter** holding register int. */ ...

-#define UART_FCTR_RTS_NODELAY 0x00 /* RTS flow **control delay** */ ...

www.ussg.iu.edu/hypermail/linux/kernel/0503.3/0072.html - 34k - [Cached](#) - [Similar pages](#)

Google ►

Result Page: 1 2 3 4 **Next**

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

"control delay" transmitter

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web Images Groups News Froogle Local^{New!} more »
"control delay" transmitter diversity "base b Search Advanced Search
Preferences

Web

Results 1 - 4 of 4 for "**control delay**" transmitter diversity "**base band**". (0.34 seconds)Did you mean: "**control delay**" transmitter diversity "**baseband**"**[PDF]** WP 3, D3 – BW Baseband RequirementsFile Format: PDF/Adobe Acrobat - [View as HTML](#)... requirements on the **base-band** part of the HL/2 compatible mode. It will be used to identify ... AGC should cooperate with TX power **control. Delay** might ...[www.ist-broadway.org/documents/deliverables/broadway-wp3-d3.pdf](#) - [Similar pages](#)**[PS]** ERROR-RATE BASED POWER-CONTROLLED MULTIMODE H.263-ASSISTED VIDEO ...File Format: Adobe PostScript - [View as Text](#)... where the **base-band** toolbox algorithms can be invoked on a time-variant basis, ... has been tested with a power **control delay** of one TDMA frame or 20ms. ...[www-mobile.ecs.soton.ac.uk/peter/publications/power-control-journal3-rev1-fixed-web.ps](#) - [Similar pages](#)**[PDF]** Error-rate Based Power-controlled Multimode H.263-Assisted Video ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... ware radios [27], where the **base-band** toolbox algorithms. can be invoked on a time-variant ... with a power **control delay** of one TDMA frame or 20ms. ...[www-mobile.ecs.soton.ac.uk/peter/publications/power-control-journal3-rev1-fixed-web.pdf](#) - [Similar pages](#)**[PDF]** P Cherriman L Hanzo Dept of Electr and Comp Sc Univ of Southampton ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... based soft ware radios where the **base band** toolbox algorithms ... ag FEF In order for the **transmitter** to infer ... has been tested with a power **control delay** of one ...[www.ecs.soton.ac.uk/publications/rj/1997-1998/COMMS/paper09.pdf](#) - Supplemental Result - [Similar pages](#)Did you mean to search for: "**control delay**" transmitter diversity "**baseband**"

Free! Google Desktop Search: Search your own computer. Download now.

Find: emails - files - chats - web history - media - PDF**"control delay" transmitter divers Search**[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web Images Groups News Froogle Local^{New!} more »

[Advanced Search](#) [Preferences](#)

Web

Results 1 - 15 of 15 for "**control delay**" **transmitter diversity** "**baseband**". (0.11 seconds)**[PDF] WP 3, D3 – BW Baseband Requirements**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... presents the requirements and their origins for the **baseband** (BB) part of the physical layer ... AGC should cooperate with TX power **control**. **Delay** might ...
www.ist-broadway.org/documents/deliverables/broadway-wp3-d3.pdf - [Similar pages](#)

[PDF] June, 1998 Association of Radio Industries and Businesses ' JapanFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... the radio interface, for example **transmitter** power control and **diversity** ...
 A closed-loop **transmitter** power control with 2-slots **control delay** can be ...
www.arib.or.jp/IMT-2000/Data/Proposal.pdf - [Similar pages](#)

[PDF] ARIB W-CDMA ProposalFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... Layer 1 of the radio interface, for example **transmitter** power control and **diversity** ... so that a **transmitter** power control with one-slot **control delay** ...
www.arib.or.jp/IMT-2000/Data/SelfEval_Part2v1.1.pdf - [Similar pages](#)

[PDF] Reverse link feedback power control in pilot symbol assisted systemsFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... Adaptive **transmitter**. **diversity** was studied in (Cavers 1999), ... to the ratio in the **baseband** and the latter the corresponding ratio in the carrier ...
hercules.oulu.fi/isbn9514257626/isbn9514257626.pdf - [Similar pages](#)

[PDF] LINEAR SPACE-TIME MODULATION IN MULTIPLE-ANTENNA CHANNELSFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... this reduces **control delay**, and consequently allows beneficial use of the concept also ... interleaving and multi-user multiplexing units, the **baseband** ...
lib.hut.fi/Diss/2004/isbn9512273764/isbn9512273764.pdf - [Similar pages](#)

[PDF] Jenn-Chyou Bor (柏振球) Cheng-Shang Chang (張正尚) Shyang ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... In this three-year project, we will conduct studies on **baseband** receiver ... compensation, a **transmitter** with dispersion tolerance of up to 200 km is ...
www.ee.nthu.edu.tw/chinese/2004_NEWS/2004_report/project.pdf - [Similar pages](#)

[PDF] Climatic Radiowave Propagation Models for the design of Satellite ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... components than the inverse of the **control delay** time. ... method, applied at **baseband**. He found that dual-polarised QAM is not feasible without ADC. ...
alexandria.tue.nl/extra2/9903235.pdf - [Similar pages](#)

[PS] INTERACTIVE CELLULAR AND CORDLESS VIDEO COMMUNICATIONS L. Hanzo, P ...File Format: Adobe PostScript - [View as Text](#)

... essentially employing a flexible **baseband** signal processing 'toolbox' of speech-, ... and has been tested with a power **control delay** of one TDMA frame. ...
www-mobile.ecs.soton.ac.uk/hanzo/papers/comms-mag.ps - [Similar pages](#)

[PDF] ePerSpace – IST Integrated ProjectFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... Some applications (eg, video and audio) need a way to **control delay**, jitter, and packet loss ... achievable rate of compression of the "**baseband**" signal ...

www.ist-eperspace.org/deliverables/D7.1.pdf - [Similar pages](#)

[PDF] Presentation of Specification to TSG RAN

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... needed for this TFC is greater than the Maximum UE **transmitter** power for at
... reusing the R99 DPDCH structure, including **baseband** processing and TFCI ...

www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_21/Docs/PDF/RP-030512.pdf - [Similar pages](#)

[PDF] IST-2000-28584 MIND D6.4 MIND Trials Final Report

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... which comprises the actual radio transceiver, the **baseband** processing unit and
... making statistical multiplexing a poor technique to **control delay**. ...

www.dit.upm.es/~ist-mind/deliverables/MIND_D64.pdf - [Similar pages](#)

[PS] Radio Resource Management in Cellular CDMA

File Format: Adobe PostScript - [View as Text](#)

... 25 2.2 MC-CDMA **transmitter** and receiver of CDMA signals facilitates utilization
of multipath **diversity**. ... estimation errors, power **control delay**, power control ...

etd.uwaterloo.ca/etd/dzhao2002.ps - Supplemental Result - [Similar pages](#)

Pilot aided, time-varying finite impulse response, adaptive ...

... to a second antenna, whereby the signal **diversity** is improved ... a plurality of CDMA
transmissions from **transmitter** antenna 14. ... 3) to **control delay** circuit 58. ...

patents.nimblewisdom.com/patent/6085104-Pilot-aided-time-varying-finite-impulse-response-adaptive-channel... - 79k -
Supplemental Result - [Cached](#) - [Similar pages](#)

Prediction-based transmission power control in a mobile ...

... The radio **transmitter** 203 operates to convert the **baseband** ... To specify the **control
delay** for transmission power as 2 ... for doing the multi-path **diversity** (the so ...

patents.nimblewisdom.com/patent/6088324-Prediction-based-transmission-power-control-in-a-mobile-communication... - 86k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] INTERACTIVE CELLULAR AND CORDLESS VIDEO COMMUNICATIONS L Hanzo P ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... stage which is interfaced to the **baseband** section using ... and showed that when using
diversity in a ... SINR to reduce with distance from the **transmitter** when using ...

www.ecs.soton.ac.uk/publications/rj/1997-1998/COMMS/paper10.pdf - Supplemental Result - [Similar pages](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF












[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Search Results

Results 1 - 11 of about 11 for "**control delay**" transmitter diversity - 0.31 sec. (About this page)

1. [TSGR1#3\(99\)163 \(PDF\)](#) 
... with 1-slot **control delay** and closed loop with 2-slots **control delay** can be realised. ... 6.4.1.2.2 Transmitter
www.3gpp.org/ftp/tsg_ran/wg1_rl1/TSGR1_03/Docs/pdfs/R1-99163.PDF - [More from this site](#)
2. [Ed O'Connor Fairport, NY 585.223.4927 tel 585.223.3255 fax \(PDF\)](#) 
... Manual **Transmitter** Steering. Automated **Transmitter** Steering. Multisite / Multicast (or channel **diversity**) On
www.simulcastsolutions.com/ppt/Simulcast Basics.pdf - 360k - [View as html](#) - [More from this site](#)
3. [Soft Handoffs in CDMA Mobile Systems](#) 
Copyright 1997 IEEE. Personal use of this material is permitted. ... attempts to dynamically adjust **transmitter** power
power control). **Delay** in handoff reduces its ...
www.comsoc.org/pci/private/1997/dec/Wong.html - 84k - [Cached](#) - [More from this site](#)
4. [Dynamic Audio On the Web](#) 
Dynamic Audio and online information. ... Channel balance **control Delay** time **control Delay** time off ... 905MHz
channel dual antenna ...
www.joystickflc.com/33/5.html - 22k - [Cached](#) - [More from this site](#)
5. [more](#) 
Cooperstock and S. Kotsopoulos", TITLE="Why Use a Fishing Line When You Have a Net? An Adaptive Multicas
U.
www.cs.columbia.edu/~hgs/bib/net96.bib - 530k - [Cached](#) - [More from this site](#)
6. [CLUB SYSTEMS AND KARAOKE SYSTEMS](#) 
... VHF-80DR Dual Channel **Diversity** Microphone System (+\$349) MIPRO MR ... W) x 45mm (H) **Transmitter**: E
store.karaokehookup.com/hardware-club-systems-and-karaoke-systems.html - 428k - [Cached](#) - [More from this site](#)
7. [2003 Hummer H2 For Sale](#) 
... Auto Headlamp **Control, Delay**. Upgraded Alpine Stereo Speaker System from ... Homelink Universal **Transm**
wellingtoninfo.com/hummer.html - 15k - [Cached](#) - [More from this site](#)
8. [Bandwidth Market, Ltd](#) 
...system comprising a first **transmitter** located at or near the ... comprising means for imposing spatial **diversity**
bandwidthmarket.biz/resources/patents/data72/5864579.html - 92k - [Cached](#) - [More from this site](#)
9. [signalling](#) 
... side information at the **transmitter** and receiver is only ... array antenna or a two-branch **diversity** sector anten
www.cc.jyu.fi/~dzhovto/htmls/topic_sig.htm - 122k - [Cached](#) - [More from this site](#)
10. [ScienceDaily Books : Stop! Do You Know You're Breathing?](#) 
Buy Stop! Do You Know You're Breathing? Books cheap. ... increase impulse **control, delay** gratification in health
Engineering Executive Healthcare ...
sciencedaily.com/cgi-bin/apf4/amazon_products_feed.cgi?... - 71k - [Cached](#) - [More from this site](#)
11. [Whitepapers | ZDNet.de IT-Business](#)  - [Translate this page](#)
... Transmit **Diversity** in Wireless Channels. 29.07.2004. University of Florence. Dynamic Slot Allocation to **Contr**
zdnet.de/itmanager/whitepapers/0,39026292,39000885q-9,00.htm?... - 54k - [Cached](#) - [More from this site](#)

[Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Products](#)

Your Search:



About Us

Newsroom

Advisory Board

Submit Web Site

Search Tips

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

"control delay" transmitter diversity

Search

☒ All journal sources ☒ All Web sources ☐ Exact phrase

Searched for:: All of the words: "control delay" AND transmitter AND diversity

Found:: :3 total | 0 journal results | 3 Web results

Sort by:: :relevance | date

Save checked results

Email checked results

- ☐ **1. No Title**
Nov 2004
...two transmit **diversity** schemes using feedback **control** [8, 18, 19...discusses the **diversity** resources that...information at **transmitter**. Chapter 4...closed-loop transmit **diversity** concept for...multi- element **transmitter**," in Proc...
[http://lib.hut.fi/Diss/2004/isbn9512273764/isbn9512273...] similar results
- ☐ **2. R1-01-0536.doc**
May 2001
...and no DL **transmitter diversity** imply to...g. power **control** and channel...Power **control delay** is 1 Time...No DL **transmitter diversity**. · No TFCI...Power **control delay** is 1 Time...No DL **transmitter diversity**. · Slot...
[http://www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_20/Docs/...] similar results
- ☐ **3. Reverse link feedback power control in pilot symbol assisted systems**
May 2001
...feedback power **control** in subject to a feedback **delay** and in conjunction with **diversity** is considered...effects of the **delay** and **diversity** in the analysis...F = 2 hk **control** signal in...logarithm L **diversity** order Lf...feedback **delay** as multiples...
[http://herkules oulu.fi/isbn9514257626/isbn9514257626....] similar results

Your query was rewritten to:

"control delay" AND
"transmitter diversity"

We did this by adding quotes to common phrases, and by removing non-essential words.

- Repeat without rewrite

Or refine using:

All of the words

refine

fast

[Test Zone](#) | [Toolbar](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Download Search Box](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2005



SCIENCE @ DIRECT

Register or Login: Password: [Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)[? Help](#)Quick Search: within [All Full-text Sources](#) [? Search Tips](#)**No results were found****Click the search tips link on the search form below for additional information.**

[All Sources](#) [Journals](#) [Books](#) [Abstract Databases](#) [SciSearch](#)

Enter terms using Boolean connectors (ex: cat OR feline AND nutrition)

Term(s):

Sources: ☒ Journals ☒ Book Series ☒ Handbooks ☐ Abstract Databases

Subject: select one or more:
☒ All Sciences
Agricultural and Biological Sciences
Arts and Humanities
Biochemistry, Genetics and Molecular Biology

Hold down the Ctrl key (or ⌘ key) to select multiple entries.

Dates: ☐ 1995 to: ☒ All Years

[? Search Tips](#)

Search History - [Turn On](#)

Search for articles from our full-text collection and abstracts database using this search form. Click the **Help** button for step-by-step instructions on conducting a search using this form. Consult the Search Tips for information about the use of connectors, wildcards, and other search options which can improve the precision of your search.

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)[? Help](#)[Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.



Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(control delay<in>metadata) <and> (transmitter<in>metadata) <and> (diversity<in>metadata)"

[e-mail](#) [printer](#)Your search matched **0** of **1142142** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search [»](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights




Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)Results for "(control delay<in>metadata) <and> (transmitter<in>metadata) <and> (diversity<in>metadata)"  e-mail  print

Your search matched 0 of 1142142 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)**Modify Search**[» Key](#) 

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

No results were found.

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

Indexed by
[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(delay <in>metadata) <and> (transmitter diversity<in>metadata)"

Your search matched 16 of 1142142 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [print](#)
[» View Session History](#)[» New Search](#)[» Key](#)

Modify Search

(delay <in>metadata) <and> (transmitter diversity<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

**1. Transmitter diversity for OFDM systems with mobile wireless channels**

Ye Li; Seshadri, N.; Ariyavisitakul, S.;
Global Telecommunications Conference, 1998. GLOBECOM 98. The Bridge to Global Integration
Volume 2, 8-12 Nov. 1998 Page(s):968 - 973 vol.2

[AbstractPlus](#) | [Full Text: PDF\(344 KB\)](#) IEEE CNF
**2. Transmitter diversity for OFDM systems and its impact on high-rate data wireless network**

Ye Li; Chuang, J.C.; Sollenberger, N.R.;
Selected Areas in Communications, IEEE Journal on
Volume 17, Issue 7, July 1999 Page(s):1233 - 1243

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(260 KB\)](#) IEEE JNL
**3. Transmitter diversity for OFDM systems and its impacts on high-rate wireless networks**

Li, Y.; Chuang, J.; Sollenberger, N.R.;
Communications, 1999. ICC '99. 1999 IEEE International Conference on
Volume 1, 6-10 June 1999 Page(s):534 - 538 vol.1

[AbstractPlus](#) | [Full Text: PDF\(488 KB\)](#) IEEE CNF
**4. Two EM-type channel estimation algorithms for OFDM with transmitter diversity**

Yongzhe Xie; Georgiades, C.N.;
Communications, IEEE Transactions on
Volume 51, Issue 1, Jan. 2003 Page(s):106 - 115

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(618 KB\)](#) IEEE JNL
**5. Channel estimation for OFDM systems with transmitter diversity in mobile wireless channel**

Ye Li; Seshadri, N.; Ariyavisitakul, S.;
Selected Areas in Communications, IEEE Journal on
Volume 17, Issue 3, March 1999 Page(s):461 - 471

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(448 KB\)](#) IEEE JNL
**6. Transmitter diversity with antenna hopping for wireless communication systems**

Olofsson, H.; Almgren, M.; Hook, M.;
Vehicular Technology Conference, 1997 IEEE 47th
Volume 3, 4-7 May 1997 Page(s):1743 - 1747 vol.3

[AbstractPlus](#) | [Full Text: PDF\(472 KB\)](#) IEEE CNF
**7. An EM-based channel estimation algorithm for OFDM with transmitter diversity**

Yongzhe Xie; Georgiades, C.N.;
Global Telecommunications Conference, 2001. GLOBECOM '01. IEEE
Volume 2, 25-29 Nov. 2001 Page(s):871 - 875 vol.2

[AbstractPlus](#) | Full Text: [PDF\(122 KB\)](#) IEEE CNF

- ☐ **8. Real time LMMSE channel estimation for wireless OFDM systems with transmitter diversity**
Tolochko, I.; Faulkner, M.;
Vehicular Technology Conference, 2002. Proceedings. VTC 2002-Fall. 2002 IEEE 56th
Volume 3, 24-28 Sept. 2002 Page(s):1555 - 1559 vol.3
[AbstractPlus](#) | Full Text: [PDF\(309 KB\)](#) IEEE CNF
- ☐ **9. SIC-based decoding algorithm for space-frequency coded transmitter diversity**
Bin Xu; Chenyang Yang; Shiyi Mao;
Vehicular Technology Conference, 2003. VTC 2003-Spring. The 57th IEEE Semiannual
Volume 1, 22-25 April 2003 Page(s):755 - 758 vol.1
[AbstractPlus](#) | Full Text: [PDF\(255 KB\)](#) IEEE CNF
- ☐ **10. Modeling of the code acquisition process for RAKE receivers in CDMA wireless networks multipath and transmitter diversity**
Glisic, S.; Katz, M.D.;
Selected Areas in Communications, IEEE Journal on
Volume 19, Issue 1, Jan 2001 Page(s):21 - 32
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(284 KB\)](#) IEEE JNL
- ☐ **11. Transmitter diversity effect in TDMA/TDD mobile radio transmission**
Sawahashi, M.; Inukai, Y.;
Electronics Letters
Volume 28, Issue 24, 19 Nov. 1992 Page(s):2201 - 2202
[AbstractPlus](#) | Full Text: [PDF\(156 KB\)](#) IEE JNL
- ☐ **12. Clustered OFDM with transmitter diversity and coding**
Cimini, L.J., Jr.; Babak Daneshrad; Sollenberger, N.R.;
Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communications: The Key to
Prosperity
Volume 1, 18-22 Nov. 1996 Page(s):703 - 707 vol.1
[AbstractPlus](#) | Full Text: [PDF\(500 KB\)](#) IEEE CNF
- ☐ **13. Robust transforms for channel estimator in clustered OFDM for high rate wireless data**
Ye Li; Sollenberger, N.R.;
Communications, 2000. ICC 2000. 2000 IEEE International Conference on
Volume 1, 18-22 June 2000 Page(s):277 - 281 vol.1
[AbstractPlus](#) | Full Text: [PDF\(456 KB\)](#) IEEE CNF
- ☐ **14. Clustered OFDM with channel estimation for high rate wireless data**
Ye Li; Sollenberger, N.R.;
Mobile Multimedia Communications, 1999. (MoMuC '99) 1999 IEEE International Workshop on
15-17 Nov. 1999 Page(s):43 - 50
[AbstractPlus](#) | Full Text: [PDF\(624 KB\)](#) IEEE CNF
- ☐ **15. A serial-parallel concatenated system: construction and iterative decoding with erasures**
Bajcsy, J.; Kobayashi, H.;
Communications, 1999. ICC '99. 1999 IEEE International Conference on
Volume 2, 6-10 June 1999 Page(s):1192 - 1196 vol.2
[AbstractPlus](#) | Full Text: [PDF\(364 KB\)](#) IEEE CNF
- ☐ **16. FIR prefilter design for MLSE equalization of space-time-coded transmission over multipath fading channels**
Younis, W.; Al-Dhahir, N.;
Circuits and Systems, 2001. ISCAS 2001. The 2001 IEEE International Symposium on
Volume 4, 6-9 May 2001 Page(s):362 - 365 vol. 4
[AbstractPlus](#) | Full Text: [PDF\(324 KB\)](#) IEEE CNF



[Help](#) [Contact Us](#) [Privacy & Security](#)

















© Copyright 2005 IEEE -- All Rights



Search Results

□\$B"#□(B Search of Full Paper

Word count: { [control: 5505] [delay: 3443] :: 96 } [transmitter: 1127] [diversity: 809]

Total 9 documents match your query.

Vol.No. pp.x-x	Type	Category	Title	Author	-	-
Vol.E87-B No.8 pp.2250-2263	PAPER	Terrestrial Radio Communications	Antenna Verification Method for Multipath Interference Canceller Based on Replica Generation per Transmit Antenna with Phase Control Transmit Diversity in W-CDMA Forward Link	Akhmad Unggul PRIANTORO Heiichi YAMAMOTO Kenichi HIGUCHI Mamoru SAWAHASHI		
Vol.E86-B No.1 pp.230-237	PAPER	□\$B!!□(B	Symbol-by-Symbol Based Multilevel Transmit Power Control for OFDM Based Adaptive Modulation under High Mobility Terminal Conditions	Tomoaki YOSHIKI Seiichi SAMPEI Norihiro MORINAGA		
Vol.E86-B No.1 pp.96-104	PAPER	□\$B!!□(B	Transmission Power Control Based on Predicted SIR for Downlink Common Channel Transmissions in CDMA Cellular Packet Communications	Kazuo MORI Tomotaka NAGAOSA Hideo KOBAYASHI		
Vol.E86-B No.1 pp.314-324	PAPER	□\$B!!□(B	Adaptive Radio Parameter Control Considering QoS for Forward Link OFCDM Wireless Access	Atsushi HARADA Sadayuki ABETA Mamoru SAWAHASHI		
Vol.E88-B No.1 pp.150-158	PAPER	□\$B!!□(B	Cell Selection Based on Shadowing Variation for Forward Link Broadband OFCDM Packet Wireless Access	Akihito MORIMOTO Sadayuki ABETA Mamoru SAWAHASHI		
Vol.E84-B No.4 pp.984-991	PAPER	Terrestrial Radio Communications	A Wideband DS-CDMA Cell Site Modem	Dong-Hahk LEE Jun-Mo KOO Jin-Ick LEE		
Vol.E87-A No.10 pp.2702-2708	PAPER	□\$B!!□(B	Design and Analysis of the ZFE MUD Receiver for DS-SS Microphone System in 2.4 GHz ISM Band	Chang-Seok LEE Jung-Gon KIM Jae-Hyung KIM Kyun-Hyon TCHAH		
Vol.E87-B No.2 pp.227-233	PAPER	Wireless Communication Technology	Design of Channel Estimation Filters for Pilot Channel Based DS-CDMA Systems	Ji-Woong CHOI Yong-Hwan LEE		
				Emilio Mino DIAZ		

Vol.E87-A No.10 pp.2592-2598	PAPER	□\$B!!□(B	The WINNER Project: Research for New Radio Interfaces for Better Mobile Services	Pierre GELPI Jorn von HAFEN Ludwig HIEBINGER Tommi JAMSA Goran MALMGREN Werner MOHR Pekka OJANEN Daniel Chr. SCHULTZ		
---------------------------------	-------	-----------	---	--	---	---

Current List: 1 - 9

Page: [1]

Search String: "control delay" transmitter diversity

Next Search

[how to search](#)

SEARCH

This search system is powered by Namazu v1.3.0.6

All Rights Reserved, Copyright (c) 1999 The Institute of Electronics, Information and Communication Engineers